


SL-M SLIDING DOOR SYSTEM



India plus



**Modified Sliding System with
Gear Rollers in**

- Glass
- Wood



India plus

SL-M Sliding Door System

Product Highlights:

- Standard & heavy duty systems
- Durable four-wheel hanger construction
- Ease of installation & low maintenance
- Broad threshold for glass thickness between 8 mm~10 mm (12mm available on-request)
- Functional & complements all glass panels (ie. tinted, reflective, toughened safety glass, patterned & featured glass)
- Coherent system with complementary accessories
- Sustained aesthetic appeal & seamless operation

SL-M Sliding Door System



India plus

System Type	Panel Operation	Loading Specification	Door Panel Suitability
SL-M-4	Sliding/Folding & Center Folding	Standard - 80kg	Wood (Timber)
		Heavy Duty - 120Kg	
		Heavy Duty - 150Kg (Upon Request)	
SL-M-80	Door Gear (Telescopic)	Standard - 80kg	Wood (Timber) Glass
SL-M-120		Heavy Duty - 120Kg	
SL-M 250	Sliding	Standard - 80kg	Glass
SL-M 2500	Sliding	Heavy Duty - 120Kg	Glass
SL-M FSW	Sliding/Folding & Center Folding	Standard - 80kg	Aluminium Wood (Timber) Glass
		Heavy Duty - 120Kg	

Confidential



India plus

SL-M-4

SL-4 Sliding/Folding Door System offers both two-wheeled and four-wheeled hangers to cover a wide range of residential and commercial applications. Loading capacity for standard duty is 80kg/per system, and for heavy duty is up to 150kg/per system.



The SL-4 ensures optimum visual harmony, offers extended scope for enhanced aesthetic elegance, and transform doors into contributory design elements.



SL-M-4



India plus




Confidential

SL-M-4




India plus



Standard Duty System

Loading capacity: 80kg/per system
 Max. door height: 2700mm
 Max. door width: 900mm
 Door thickness: 30mm~34mm






Heavy Duty System

Loading capacity: 150kg/per system
 Max. door height: 3000mm
 Max. door width: 900mm
 Door thickness: 35mm~50mm
 (other door thickness available, but on request.)

Sliding Folding Door System



India plus






Confidential



India plus

Sliding Folding Door System



Confidential

Applications of SL-M-4



India plus



Confidential

SL-M-80 & SL-M-120 (Wood)



India plus




Confidential



India plus

SL-M-80 (Wood)

Wall Mounting Track Ceiling Mounting Track



Features

DORMA SL-M-80

For fixing one panel set
30mm or 40mm Thick wooden door

Max weight of the Door leaves
80 Kg

Calculation of Door Height
Door Height = H-69mm



Torque for screws in the clamps
15 Nm

All Measurements in mm

Overall Height = H

Door Height = H1

Door width = A




Confidential



India plus

SL-M-120 (Wood)

Wall Mounting Track Ceiling Mounting Track



Features

DORMA SL-M-120

For fixing one panel set
30mm or 40mm Thick wooden door

Max weight of the Door leaves
120 Kg

Calculation of Door Height

Door Height = $H - 69\text{mm}$

Torque for screws in the clamps



15 Nm

All Measurements in mm

Overall Height = H

Door Height = $H1$

Door width = A



Confidential

SL-M-80 & SL-M-120 (Glass)



India plus



Confidential



India plus

SL-M-250 (Glass)

Recommended Applications :

Loading capacity : 80 kg/per system

- Commercial and residential
- For partition of modern living space
- Complements

Brackets,

Top track,

Rugger carrier,

Recess handle,

Adjustable hook lock.






India plus

SL-M-250 (Glass)

Wall Mounting Track Ceiling Mounting Track



Features

DORMA SL-M-250

For fixing one panel set
8mm or 10mm Glass Thickness

Max weight of the Door leaves
80 Kg

Calculation of Glass Height
Glass Height = $H - 54\text{mm}$


Torque for screws in the clamps
15 Nm

All Measurements in mm

Overall Height = H

Glass Height = H1

Glass width = A



Confidential



India plus

SL-M-2500 (Glass)

Recommended Applications :

Loading capacity : 120 kg/per system

- Commercial and residential
- For partition of modern living space

• Complements


Brackets,

Top track,

Rugger carrier,

Recess handle,

Adjustable hook lock.







India plus

SL-M-2500 (Glass)

Wall Mounting Track Ceiling Mounting Track



Features

DORMA SL-M-2500

For fixing one panel set
8mm or 10mm Glass Thickness

Max weight of the Door leaves
120 Kg

Calculation of Glass Height
Glass Height = $H - 54\text{mm}$

Torque for screws in the clamps
15 Nm

All Measurements in mm

Overall Height = H

Glass Height = H1

Glass width = A



Thank You



Team DORMA

DORMA India Pvt Ltd



India plus